

# 500 Gallon Fire Fighting Trailer

## Emergency & Multi-Purpose Water

The Fire Control Water Sprayer Trailer is a durable workhorse for emergencies and so many other purposes. Fill the tank from virtually any water source, whether municipal, water storage tank, pond, or stream. You'll have peace of mind while towing the trailer where it needs to go on your property, with its rugged 6" channel iron frame construction and surge brakes for safety. Use the fire hose to spot spray specific areas or use the spray bar on the rear of the trailer for blanket coverage. The spray bar produces a 25' spray swath, powered by the Honda engine and Tsurimi pump.

When not needed for fire emergencies, use the Fire Control Water Sprayer Trailer to pre-wet for fire prevention, manage control burns, and haul water to remote locations. You can also use it for watering vegetation and dust control. Strictly for on-property use, this trailer is great for adding savings to your budget as you won't be paying for DOT required features.



# Features and Benefits



## Features

- 500 gallon algae resistant tank
- 2" Tsurumi pump and 4 hp Honda engine
- Heavy duty 6" channel iron frame
- Suction hose and pond strainer, fire hydrant adapter
- Fire hose and nozzle
- Surge brakes

## Benefits

- Multi-purpose: Fire-fighting, dust suppression, washing equipment, hauling water, watering vegetation
- Adjustable jack to level the trailer for safe towing
- Elliptical tank provides lower center of gravity
- Two ways to fill the tank
- Black tank to inhibit algae growth

*We are here to serve you. Just call or email with your project specifications and details, and we'll do the rest. Our goal is to provide the best solution for your project, with materials delivered on*



# Specifications

Tank	500 gallon algae-resistant black elliptical poly tank
Engine	4 hp Honda engine
Pump	2" Tsurumi pump
Tank Filling	Quick-fill port and 2" suction hose with strainer
Targeted Spraying	25' x 1 1/2" flat fire hose with adjustable nozzle or use gravity-fed faucet with garden hose
Blanket Spray Coverage	Galvanized manifold and spray bar, with 25' spray swath
Frame	Heavy duty 6" channel iron
Frame Dimensions	165" (L) x 84" (W)
Hitch	2" adjustable ball hitch, safety chains included
Brakes	Tandem surge brakes
Axels	Tandem slipper spring axels Rated to 7,000 lbs
Tires	ST225/75D15
Wheels	15x6", 6 hole; 5 1/2" hole pattern
Wheel Track	72"
Weight	1,740 lbs

## Other Products:



### [Water Skid Sprayer](#)

Truck bed or ATV 200 gallon water skid



### [Non Toxic Fire Retardant Gel](#)

Thermal-protective coating to prevent structures from burning



### [Express Water Trailer](#)

500 gallon DOT-rated water sprayer trailer

For more complete information on One Clarion products and solutions, visit us at [www.clarionmunicipal.com](http://www.clarionmunicipal.com).

Phone: (+1) 863-261-8388 | [info@oneclarion.com](mailto:info@oneclarion.com)

© 2023 One Clarion. All rights reserved. One Clarion terms and conditions apply.

All photos are representative only. Actual products may differ. Materials and specifications are subject to change without notice. Featured products in photos may include additional equipment or accessories.

